

腎臓リウマチ科論文（英文のみ 2000 年以降）

1. Soma J, Saito T, Taguma Y, Chiba S, Sato H, Ogawa S, Sugimura K, Ito S: High prevalence and adverse effect of hepatitis C virus infection in diabetic nephropathy. *J Am Soc Nephrol* 11: 690-699, 2000
2. Soma J, Ootaka T, Sato H, Ito S, Saito T: Tubulointerstitial changes are less important in membranoproliferative glomerulonephritis than in IgA nephropathy. *Nephron* 86: 230-231, 2000
3. Kurihara I, Soma J, Nakayama K, Sato H, Saito T: Intravenous low-dose iron administration in hemodialysis patient treated with erythropoietin : one-year-follow-up study. *Nephron* 86: 230-231, 2000
4. Ohtaka A, Ootaka T, Sato H, Soma J, Sato T, Ito S: Significance of the early phenotypic change of podocyte detected by Pax2 in primary focal segmental glomerulonephritis. *Am J Kidney Dis* 39: 475-485, 2002
5. Soma J, Sato H, Ootaka T, Saito T: Cellular interactions in the pathogenesis in human proliferative glomerulonephritis: the role of beta-2 integrin expressing leukocytes. *Nephron* 92: 693-698, 2002
6. Soma J, Sugawara T, Huang Y-D, Nakajima J, Kawamura M: Tranilast slows the progression of advanced diabetic nephropathy. *Nephron* 92: 693-698, 2002
7. Jin S, Ootaka T, Soma J, Sato T, Sato H, Ito S, Saito T: Role of beta-2 integrins in glomerular leukocytes in Henoch-Schonlein purpura nephritis: an age-matched comparative study with immunoglobulin A nephropathy. *Nephrology* 7: 189-197, 2002
8. Soma J, Sato K, Sakuma T, Saito H, Sato H: Focal segmental dense deposit disease with prolonged asymptomatic hematuria. *Clin Nephrol* 60: 66-68, 2003
9. Soma J, Sato K, Suzuki M, Segawa Y, Miyate Y: Effect of sivelestat, an inhibitor of neutrophil elastase, on rapidly progressive glomerulonephritis. *Clin Nephrol* 60: 149-150, 2003
10. Soma J, Sato K, Sakuma T, Sato H, Sato T, Abbas A, Aucouturier P: Immunoglobulin γ 3-heavy-chain deposition disease: report a case and relationship with hypocomplementemia. *Am J Kidney Dis* 43: E2, 2004
11. Namazi MR, Soma J: Tranilast: a potential weapon against insulin resistance. *Med Hypotheses* 64: 1135-1137, 2005
12. Soma J, Sato K, Saito H, Tsuchiya Y: Effect of Tranilast in Early-Stage Diabetic

- Nephropathy. *Nephrol Dialy Transplant* 21: 2795-2799, 2006
13. Soma J, Kozo Sato K, Saito H, Tsuchiya Y, Sakuma T, Sato H: Clinical remission and histopathological resolution of nodular lesions in a patient with gamma3-heavy chain deposition disease. *Clin Nephrol* 69: 383-387, 2008
 14. Nakaya I, Toyama T, Uchiyama A, Miwa A, Kawabata M, Yamazaki M, Iida H: Pulmonary hemorrhage, due to rupture of small muscular arteries, in an autopsy case of systemic lupus erythematosus with antiphospholipid antibodies. *Mod Rheumatol* 18: 529-531, 2008
 15. Miura N, Imai H, Kikuchi S, Hayashi S, Endoh M, Kawamura T, Tomino Y, Moriwaki K, Kiyomoto H, Kohagura K, Nakazawa E, Kusano E, Mochizuki T, Shinsuke N, Sasaki T, Kashihara N, Soma J, Tomo T, Nakayabashi I, Yoshida M, Watanabe T: Tonsillectomy and steroid pulse (TSP) therapy for patients with IgA nephropathy: A nationwide survey of TSP therapy in Japan and analysis of the predictive factors for resistance to TSP therapy. *Clin Exp Nephrol* 13: 460-466, 2009
 16. Oe Y, Izaya Nakaya I, Yahata M, Sakuma T and Soma J: Classic polyarteritis nodosa presenting with rapidly progressive renal insufficiency. *Clin Nephrol* 74: 315-318, 2010
 17. Oe Y, Nakaya I, Yahata M, Sakuma T, Sato H and Soma J: A case of γ 1-heavy chain deposition disease presenting as dense deposit disease. *Inter Med* 49: 1411-1415, 2010
 18. Watanabe R, Nakaya I, Kudo H, Yahata M, Soma J and Sakuma T: Isolated granulomatous renal arteritis: A variant of giant cell arteritis without participation of macrophages. *Inter Med* 49:191-194, 2010
 19. Soma J, Sato K, Nakaya I, Yahata M, Sakuma T, Sato H: Systemic non-amyloidotic fibril deposition disease: A probable variant form of fibrillary glomerulonephritis. *Clin Nephrol* 75: 74-79, 2011
 20. Nakaya I, Namikoshi T, Tsuruya Y, Shibagaki Y, Onishi Y, Fukuhara S, for the School of Designing Clinical Study for Nephrologists and Dialysis Physicians: Management of asymptomatic hyperuricemia in patients with chronic kidney disease by Japanese Nephrologists: a questionnaire survey. *Nephrology* 21: 320-324, 2011
 21. Watanabe R, Nakaya I, Yahata M, Takahashi T, Sasajima T, Takeuchi K, Oura H, Sakuma T, Tomichi N, Mori Y, Soma J: Pulmonary hypertension confirmed histologically five months prior to scleroderma renal crisis onset. *Mod Rheumatol* 21: 320-324, 2011

22. Soma J: Editorial: Minimal change nephritic syndrome superimposed on diabetic glomerulosclerosis. *J Nephrol Therapeutic* 1: e101, 2011
23. Oe Y, Nakaya I, Yahata M, Murata O, Yaegashi H, SakumT, Sato H, Liepnieks JJ, Benson MD, Soma J: κ I light chain AL amyloidosis presenting with rapidly progressive renal and hepatic failure with unusual renal amyloid distribution. *Clin Nephrol* 77: 66-70, 2012
24. Yahata M, Nakaya I, Takahashi S, Sakuma T, Sato H, Soma J: Proliferative glomerulonephritis with monoclonal IgM deposits without Waldenström's macroglobulinemia: case report and review of the literature. *Clin Nephrol* 77: 254-260, 2012
25. Yahata M, Takahashi S, Nakaya I, Sakuma T, Sato H, Soma J: A case of possible IgG4-related kidney disease needing differential diagnosis from lupus nephritis. *Intern Med* 51: 1731-1736, 2012
26. Takahashi S, Soma J, Nakaya I, Yahata M, Sakuma T, Yaegashi H, Sato A, Wano M, Sato H: Systemic and rapidly progressive light-chain deposition disease initially presenting as tubulointerstitial nephritis. *CEN Case Rep* 1:117–122, 2012
27. Yokoyama H, Sugiyama H, Sato H, aguchi T, Nagata M, Matsuo S, Makino H, Watanabe T, Saito T, Kiyohara Y, Nishi S, Iida H, Morozumi K, Fukatsu A, Sasaki T, Tsuruya K, Kohda Y, Higuchi M, Kiyomoto H, Goto S, Hattori M, Hataya H, Kagami S, Yoshikawa N, Fukasawa Y, Ueda Y, et al: Committee for the Standardization of Renal Pathological Diagnosis and for Renal Biopsy and Disease Registry of the Japanese Society of Nephrology, and the Progressive Renal Disease Research of the Ministry of Health, Labour and Welfare of Japan: Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). *Clin Exp Nephrol* 16:903-20, 2012
28. Sugiyama H, Yokoyama H, Sato H, Saito T, Kohda Y, Nishi S, Tsuruya K, Kiyomoto H, Iida H, Sasaki T, Higuchi M, Hattori M, Oka K, Kagami S, Kawamura T, Takeda T, Hataya H, Fukasawa Y, Fukatsu A, Morozumi K, Yoshikawa N, Shimizu A, Kitamura H, Yuzawa Y, Matsuo S, ey al.; Committee for Standardization of Renal Pathological Diagnosis; Committee for Kidney Disease Registry; Japanese Society of Nephrology: Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. *Clin Exp Nephrol* 17:155-73, 2013
29. Yahata M, Nakaya I, Sakuma T, Sato H, Aoki S, Soma J: IgA nephropathy with massive paramesangial deposits caused by anti-VEGF therapy for metastatic colon cancer. *BMC Res Notes* 6: 450, 2013

30. Oe Y, Soma J, Sato H, Ito S: Heavy chain deposition disease: An overview. *Clin Exp Nephrol* 17: 771-778, 2013
31. Nakaya I, Yahata M, Takahashi S, Sasajima T, Sakuma T, Shibagaki Y, Soma J : Long-term outcome and cyclophosphamide effect on Japanese patients with microscopic polyangiitis associated with anti-neutrophil cytoplasmic antibody: a retrospective study. *Intern Med* 52: 2503-2509, 2013
32. Kawamura T, Mitsuhiro Yoshimura Y, Miyazaki Y, Okamoto H, Kimura K, Hirano K, Matsushima, M, Utsunomiya Y, Ogura M, Yokoo T, Okonogi H, Ishii T, Hamaguchi A, Ueda H, Furuu A, Horikoshi S, Suzuki Y, Shibata T, Yasuda T, Shirai S, Imasawa T, Kanozawa K, Wada A, Yamaji I, Miura N, Imai H, Kasai K, Soma J, Fujimoto S, Matsuo S, Tomino Y; The Special IgA Nephropathy Study Group: A multicenter randomized controlled trial of tonsillectomy combined with steroid pulse therapy in patients with IgA nephropathy. *Nephrol Dial Transplant* 29: 1546-1553, 2014
33. Kaneko K, Koichi Seta K, Soma J, Kuwahara T, Koizumi M, Kikuchi Y, Sugawara A, Yahata K: Gamma 1-heavy chain deposition disease accompanied by IgGκ in serum, urine and bone marrow. *CEN Case Rep* 3: 44-48, 2014
34. Ando D, Nakaya I, Watanabe S, Osawa H, Kubo N, Soma J: Spontaneous intracranial hypotension in a case of systemic lupus erythematosus. *Modrheumatol* 16:1-2, 2014
35. Chikamatsu Y, Nakaya I, Yahata M, Takahashi S, Sakuma T, Soma J: Isolated renal sarcoidosis presenting with granulomatous interstitial nephritis: case report and review of the literature. *J Nephrol Therapeutic* S1: S1-008, 2014
36. Yoshida M, Izaya Nakaya, Sakuma T, Soma J: Cardiac small vessel vasculitis in microscopic polyangiitis. *Inter Med* 53:2655-2656, 2014
37. Sasaki H, Soma J: Proliferative glomerulonephritis with monoclonal immunoglobulin deposits: a poorly-understood disease spectrum. *J Nephrol Ther* S2, 2015
38. Kumakura S, Nakaya I, Sakuma T, Sato H, Soma J: Crystalline cast nephropathy in a patient with IgD lambda myeloma. *Clin Exp Nephrol* 20: 491-492, 2016
39. Iwabuchi M, Izaya Nakaya I, Yoshinori Tsuchiya Y, Shibagaki Y, Yamaguchi T, Fukuhara S, Oe Y, Sakuma T, Sato T, Taguma Y, Soma J: Effects of cyclophosphamide on the prognosis of Japanese patients with renal vasculitis associated with anti-neutrophil cytoplasmic antibody-positive microscopic polyangiitis. *Clin Exp Nephrol* 20: 712-719, 2016
40. Higuchi S, Nakaya I, Yoshikawa K, Chikamatsu Y, Sada K, Yamamoto S, Takahashi

- S, Sasaki H, Soma J: Potential benefit associated with delaying initiation of hemodialysis in a Japanese cohort. *Kidney Int Rep* 2: 594–602, 2017.
41. Komatsu H, Fujimoto S; Maruyama S, Mukoyama M, Sugiyama H, Tsuruya K, Hiroshi Sato, Soma J, et al: Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). *PLoS ONE* 13: e0196955, 2018.
 42. Yamaguchi E, Yoshikawa K, Nakaya I, Kato K, Miyasato Y, Nakagawa T, Kakizoe Y, Mukoyama M, Soma J: Liddle's-like syndrome associated with nephrotic syndrome secondary to membranous nephropathy: the first case report. *BMC Nephrol* (in press)