

腎臓リウマチ科論文（英文のみ 2000 年以降）

Soma J, Saito T, Taguma Y, Chiba S, Sato H, Ogawa S, Sugimura K, Ito S: High prevalence and adverse effect of hepatitis C virus infection in diabetic nephropathy. *J Am Soc Nephrol* 11: 690-699, 2000.

Soma J, Ootaka T, Sato H, Ito S, Saito T: Tubulointerstitial changes are less important in membranoproliferative glomerulonephritis than in IgA nephropathy. *Nephron* 86: 230-231, 2000.

Kurihara I, Soma J, Nakayama K, Sato H, Saito T: Intravenous low-dose iron administration in hemodialysis patient treated with erythropoietin : one-year-follow-up study. *Nephron* 86: 230-231, 2000.

Ohtaka A, Ootaka T, Sato H, Soma J, Sato T, Ito S: Significance of the early phenotypic changes of podocyte detected by Pax2 in primary focal segmental glomerulonephritis. *Am J Kidney Dis* 39: 475-485, 2002.

Soma J, Sato H, Ootaka T, Saito T: Cellular interactions in the pathogenesis in human proliferative glomerulonephritis: the role of beta-2 integrin expressing leukocytes. *Nephron* 92: 693-698, 2002.

Soma J, Sugawara T, Huang Y-D, Nakajima J, Kawamura M: Tranilast slows the progression of advanced diabetic nephropathy. *Nephron* 92: 693-698, 2002.

Jin S, Ootaka T, Soma J, Sato T, Sato H, Ito S, Saito T: Role of beta-2 integrins in glomerular leukocytes in Henoch-Schonlein purpura nephritis: an age-matched comparative study with immunoglobulin A nephropathy. *Nephrology* 7: 189-197, 2002.

Soma J, Sato K, Sakuma T, Saito H, Sato H: Focal segmental dense deposit disease with prolonged asymptomatic hematuria. *Clin Nephrol* 60: 66-68, 2003.

Soma J, Sato K, Suzuki M, Segawa Y, Miyate Y: Effect of sivelestat, an inhibitor of

neutrophil elastase, on rapidly progressive glomerulonephritis. Clin Nephrol 60: 149-150, 2003.

Soma J, Sato K, Sakuma T, Sato H, Sato T, Abbas A, Aucouturier P: Immunoglobulin γ 3-heavy-chain deposition disease: report a case and relationship with hypocomplementemia. Am J Kidney Dis 43: E2, 2004.

Namazi MR, Soma J: Tranilast: a potential weapon against insulin resistance. Med Hypotheses 64: 1135-1137, 2005.

Soma J, Sato K, Saito H, Tsuchiya Y: Effect of tranilast in early-stage diabetic nephropathy. Nephrol Dial Transplant 21: 2795-2799, 2006.

Soma J, Kozo Sato K, Saito H, Tsuchiya Y, Sakuma T, Sato H: Clinical remission and histopathological resolution of nodular lesions in a patient with gamma3-heavy chain deposition disease. Clin Nephrol 69: 383-387, 2008.

Nakaya I, Toyama T, Uchiyama A, Miwa A, Kawabata M, Yamazaki M, Iida H: Pulmonary hemorrhage, due to rupture of small muscular arteries, in an autopsy case of systemic lupus erythematosus with antiphospholipid antibodies. Mod Rheumatol 18: 529-531, 2008.

Miura N, Imai H, Kikuchi S, Hayashi S, Endoh M, Kawamura T, Tomino Y, Moriwaki K, Kiyomoto H, Kohagura K, Nakazawa E, Kusano E, Mochizuk Ti, Shinsuke N, Sasaki T, Kashihara N, Soma J, Tomo T, Nakayabashi I, Yoshida M, Watanabe T: Tonsillectomy and steroid pulse (TSP) therapy for patients with IgA nephropathy: A nationwide survey of TSP therapy in Japan and analysis of the predictive factors for resistance to TSP therapy. Clin Exp Nephrol 13: 460-466, 2009.

Oe Y, Nakaya I, Yahata M, Sakuma T and Soma J: Classic polyarteritis nodosa presenting with rapidly progressive renal insufficiency. Clin Nephrol 74: 315-318, 2010.

Oe Y, Nakaya I, Yahata M, Sakuma T, Sato H and Soma J: A case of γ 1-heavy chain deposition disease presenting as dense deposit disease. Inter Med 49: 1411-1415, 2010.

Watanabe R, Nakaya I, Kudo H, Yahata M, Soma J and Sakuma T: Isolated granulomatous renal arteritis: A variant of giant cell arteritis without participation of macrophages. *Inter Med* 49:191-194, 2010.

Soma J, Sato K, Nakaya I, Yahata M, Sakuma T, Sato H: Systemic non-amyloidotic fibril deposition disease: A probable variant form of fibrillary glomerulonephritis. *Clin Nephrol* 75: 74-79, 2011.

Nakaya I, Namikoshi T, Tsuruya Y, Shibagaki Y, Onishi Y, Fukuhara S, for the School of Designing Clinical Study for Nephrologists and Dialysis Physicians: Management of asymptomatic hyperuricemia in patients with chronic kidney disease by Japanese Nephrologists: a questionnaire survey. *Nephrology* 21: 320-324, 2011.

Watanabe R, Nakaya I, Yahata M, Takahashi T, Sasajima T, Takeuchi K, Oura H, Sakuma T, Tomichi N, Mori Y, Soma J: Pulmonary hypertension confirmed histologically five months prior to scleroderma renal crisis onset. *Mod Rheumatol* 21: 320-324, 2011.

Soma J: Editorial: Minimal change nephritic syndrome superimposed on diabetic glomerulosclerosis. *J Nephrol Therapeutic* 1: e101, 2011.

Oe Y, Nakaya I, Yahata M, Murata O, Yaegashi H, SakumT, Sato H, Liepnieks JJ, Benson MD, Soma J: κ I light chain AL amyloidosis presenting with rapidly progressive renal and hepatic failure with unusual renal amyloid distribution. *Clin Nephrol* 77: 66-70, 2012.

Yahata M, Nakaya I, Takahashi S, Sakuma T, Sato H, Soma J: Proliferative glomerulonephritis with monoclonal IgM deposits without Waldenström's macroglobulinemia: case report and review of the literature. *Clin Nephrol* 77: 254-260, 2012.

Yahata M, Takahashi S, Nakaya I, Sakuma T, Sato H, Soma J: A case of possible IgG4-related kidney disease needing differential diagnosis from lupus nephritis. *Intern Med* 51: 1731-1736, 2012.

Takahashi S, Soma J, Nakaya I, Yahata M, Sakuma T, Yaegashi H, Sato A, Wano M,

Sato H: Systemic and rapidly progressive light-chain deposition disease initially presenting as tubulointerstitial nephritis. CEN Case Rep 1:117–122, 2012.

Yokoyama H, Sugiyama H, Sato H, aguchi T, Nagata M, Matsuo S, Makino H, Watanabe T, Saito T, Kiyohara Y, Nishi S, Iida H, Morozumi K, Fukatsu A, Sasaki T, Tsuruya K, Kohda Y, Higuchi M, Kiyomoto H, Goto S, Hattori M, Hataya H, Kagami S, Yoshikawa N, Fukasawa Y, Ueda Y, et al: Committee for the Standardization of Renal Pathological Diagnosis and for Renal Biopsy and Disease Registry of the Japanese Society of Nephrology, and the Progressive Renal Disease Research of the Ministry of Health, Labour and Welfare of Japan: Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). Clin Exp Nephrol 16:903-20, 2012.

Sugiyama H, Yokoyama H, Sato H, Saito T, Kohda Y, Nishi S, Tsuruya K, Kiyomoto H, Iida H, Sasaki T, Higuchi M, Hattori M, Oka K, Kagami S, Kawamura T, Takeda T, Hataya H, Fukasawa Y, Fukatsu A, Morozumi K, Yoshikawa N, Shimizu A, Kitamura H, Yuzawa Y, Matsuo S, ey al.; Committee for Standardization of Renal Pathological Diagnosis; Committee for Kidney Disease Registry; Japanese Society of Nephrology: Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. Clin Exp Nephrol 17:155-73, 2013.

Yahata M, Nakaya I, Sakuma T, Sato H, Aoki S, Soma J: IgA nephropathy with massive paramesangial deposits caused by anti-VEGF therapy for metastatic colon cancer. BMC Res Notes 6: 450, 2013.

Oe Y, Soma J, Sato H, Ito S: Heavy chain deposition disease: An overview. Clin Exp Nephrol 17: 771-778, 2013.

Nakaya I, Yahata M, Takahashi S, Sasajima T, Sakuma T, Shibagaki Y, Soma J: Long-term outcome and cyclophosphamide effect on Japanese patients with microscopic polyangiitis associated with anti-neutrophil cytoplasmic antibody: a retrospective study. Intern Med 52: 2503-2509, 2013.

Kawamura T, Mitsuhiro Yoshimura Y, Miyazaki Y, Okamoto H, Kimura K, Hirano K, Matsushima, M, Utsunomiya Y, Ogura M, Yokoo T, Okonogi H, Ishii T, Hamaguchi A, Ueda H, Furusu A, Horikoshi S, Suzuki Y, Shibata T, Yasuda T, Shirai S, Imasawa T,

Kanozawa K, Wada A, Yamaji I, Miura N, Imai H, Kasai K, Soma J, Fujimoto S, Matsuo S, Tomino Y; The Special IgA Nephropathy Study Group: A multicenter randomized controlled trial of tonsillectomy combined with steroid pulse therapy in patients with IgA nephropathy. *Nephrol Dial Transplant* 29: 1546-1553, 2014.

Kaneko K, Koichi Seta K, Soma J, Kuwahara T, Koizumi M, Kikuchi Y, Sugawara A, Yahata K: Gamma 1-heavy chain deposition disease accompanied by IgGκ in serum, urine and bone marrow. *CEN Case Rep* 3: 44-48, 2014.

Ando D, Nakaya I, Watanabe S, Osawa H, Kubo N, Soma J: Spontaneous intracranial hypotension in a case of systemic lupus erythematosus. *Mod Rheumatol* 16:1-2, 2014.

Chikamatsu Y, Nakaya I, Yahata M, Takahashi S, Sakuma T, Soma J: Isolated renal sarcoidosis presenting with granulomatous interstitial nephritis: case report and review of the literature. *J Nephrol Therapeutic* S1: S1-008, 2014.

Yoshida M, Nakaya I, Sakuma T, Soma J: Cardiac small vessel vasculitis in microscopic polyangiitis. *Inter Med* 53:2655-2656, 2014.

Sasaki H, Soma J: Proliferative glomerulonephritis with monoclonal immunoglobulin deposits: a poorly-understood disease spectrum. *J Nephrol Ther* S2, 2015.

Kumakura S, Nakaya I, Sakuma T, Sato H, Soma J: Crystalline cast nephropathy in a patient with IgD lambda myeloma. *Clin Exp Nephrol* 20: 491-492, 2016.

Iwabuchi M, Nakaya I, Tsuchiya Y, Shibagaki Y, Yamaguchi T, Fukuhara S, Oe Y, Sakuma T, Sato T, Taguma Y, Soma J: Effects of cyclophosphamide on the prognosis of Japanese patients with renal vasculitis associated with anti-neutrophil cytoplasmic antibody-positive microscopic polyangiitis. *Clin Exp Nephrol* 20: 712–719, 2016.

Higuchi S, Nakaya I, Yoshikawa K, Chikamatsu Y, Sada K, Yamamoto S, Takahashi S, Sasaki H, Soma J: Potential benefit associated with delaying initiation of hemodialysis in a Japanese cohort. *Kidney Int Rep* 2: 594–602, 2017.

Ikeda M, Terawaki H, Kanda E, Furuya M, Tanno Y, Nakao M, Maruyama Y, Maeda M, Higuchi C, Sakurada T, Kaneko T, Io H, Hashimoto K, Ueda A, Hirano K, Washida

N, Yoshida H, Yoshikawa K, et al. Interventional nephrology: current status and clinical impact in Japan. *Clin Exp Nephrol* 22:437-447, 2018.

Komatsu H, Fujimoto S; Maruyama S, Mukoyama M, Sugiyama H, Tsuruya K, Sato H, Soma J, et al: Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). *PLoS ONE* 13: e0196955, 2018.

Yamaguchi E, Yoshikawa K, Nakaya I, Kato K, Miyasato Y, Nakagawa T, Kakizoe Y, Mukoyama M, Soma J: Liddle's-like syndrome associated with nephrotic syndrome secondary to membranous nephropathy: the first case report. *BMC Nephrol* 19:122, 2018.

Tezuka Y, Nakaya I, Nakayama K, Nakayama M, Yahata M, Soma J: Methylglyoxal as a prognostic factor in patients with chronic kidney disease. *Nephrology (Carlton)*. 24, 943-950, 2018

Japanese Society of Nephrology: Essential points from evidence-based clinical practice guidelines for chronic kidney disease. *Clin Exp Nephrol* 23: 1-15, 2019

Niihata K, Nishiwaki H, Kurita N, Okada H, Maruyama S, Narita I, Shibagaki Y, Nakaya I: Variations in actual practice patterns and their deviations from the clinical practice guidelines for nephrotic syndrome in Japan: certified nephrologists' questionnaire survey. *Clin Exp Nephrol* 23:1288-1297, 2019

Matsuura Y, Goto T, Tamayama Y, Nakamura Y, Oyama J, Ishioka H, Yoshikawa K, Nakaya I, Soma J: First case report of monoclonal IgG3-heavy-chain glomerulonephritis with microtubular structures. *CEN Case Rep* 10:236-240, 2021.

Nakaya I, Goto T, Nakamura Y, Yoshikawa K, Oyama J, Tamayama Y, Morooka M, Ito S, Ishioka H, Matsuura Y, Soma J: Temporary Central Venous Catheter at Hemodialysis Initiation and Reasons for Use: a cross-sectional study. *Renal Replacement Therapy* 2021 7:2